



HP LaserJet Pro M203dw Printer (G3Q47A)



Overview

Stay a step ahead with this wireless HP LaserJet Pro—get more pages, performance, and protection.[1]

Get more pages, performance, and protection[1] from a wireless HP LaserJet Pro powered by JetIntelligence Toner cartridges. Set a faster pace for your business: Print two-sided documents right away, and easily manage to help maximize efficiency.

Fast printing, low energy use

Print at the pace of business—this printer is equipped with fast two-sided printing.

Manage company-wide printing with confidence

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.[9]

Mobile printing made simple

Get simple setup, and print and scan from your phone, with the HP Smart app.[3]

HP quality—print after print

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Features



Fast two-sided printing and first page print time from ready mode



HP Auto-On/Auto-Off Technology



AirPrint® 1.5 with media presence sensor



Wi-Fi Direct® printing

HP ePrint

[1] Based on ISO/IEC 19752 cartridge yields for HP 30A Black Original LaserJet Toner Cartridges compared with HP 83A Black Original LaserJet Toner Cartridges, and HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 83X High Yield Black Original LaserJet Toner Cartridges. Learn more at <http://www.hp.com/go/learnaboutsupplies>

[3] Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see <http://www.hp.com/go/mobileprinting>. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.

[9] For details on local printing requirements see <http://hp.com/go/mobile printing>.

Specifications

Print Resolution Technologies	HP FastRes 1200, HP ProRes 1200
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 28 ppm
Print speed black (ISO, letter)	Up to 30 ppm
Print speed	Print speed up to 28 ppm (black)
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 30,000 pages
Duty cycle (monthly, letter)	Up to 30,000 pages ^[13]
Printer smart software features	AirPrint1.5 with media presence sensor, Instant-on Technology, HP Auto-On/Auto-Off Technology, JetIntelligence cartridges, Mopria-certified, Wi-Fi Directprinting, Duplex Printing; HP Smart App ^[4]
Energy savings feature technology	HP Auto-on/Auto-off Technology
Replacement cartridges	HP 30A Original Black LaserJet Toner Cartridge CF230A (~1600 pages); HP 30X Original Black LaserJet Toner Cartridge CF230X (~3500 pages); HP 32A Original LaserJet Imaging Drum CF232A (~23000 pages) ^[8]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed USB 2.0; 1 Ethernet 10/100 network; Wireless
Network capabilities	10/100 Ethernet
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n
Mobile printing capability	HP ePrint; Wi-Fi Directprinting; AirPrint1.5 with media presence sensor; Google Cloud Print™ 2.0; HP Smart App
Network protocols, supported	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS
Software included	For Windows OS: HP Software Installer; HP Software Uninstaller (exclude Win8+); HP PCL6 Printer Driver, HP Device Experience (DXP), HP Connected, Device Setup & Software; HP Printer Assistant; HP Product Improvement Study; Online user manuals. For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)

Compatible Operating Systems

Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple® OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10) ; 1 GB HD; Internet required; USB. Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>). Unix (For more information, see <http://www.hp.com/go/unixmodelscripts>)^[16]

(Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit); Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print drivers only; For Windows Server 2003 32-bit and 2008 32-bit and 64-bit, 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit only print driver is installed. Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software)

Sustainable impact specifications	Mercury free
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified; EPEAT® Silver
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
Display	LED
Minimum dimensions (W x D x H)	370.5 x 407.4 x 223.9 mm <i>(Without trays and covers not extended)</i>
Minimum dimensions (W x D x H)	14.6 x 16 x 8.8 in
Weight	6.9 kg
Weight	15.2 lb
Power consumption	480 watts (active printing), 1.9 watts (ready), 0.5 watts (sleep), 0.8 watts (Auto Off/Wake on USB, enabled at shipment) ^[5,17]
Power supply type	Internal
What's in the box	HP LaserJet Pro M203dw Printer; HP Black LaserJet Toner Starter Cartridge of ~1000 page yield; HP LaserJet Imaging Drum ~23,000 pages; HIG, Setup Poster, Support flyer; Warranty Guide, flyer, Errata in some countries; Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROMs; CDs containing software and electronic documentation; Power cord; USB cable ^[2]
Manufacturer Warranty	One year limited warranty

Additional specifications

Acoustic power emissions (active, printing)	6.6 B(A)
Acoustic power emissions (ready)	2.6 B(A)
Acoustic pressure emissions bystander (active, printing)	53 dB(A)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Automatic paper sensor	No
Best technical electricity consumption (TEC)	0.881 kWh/Week ^[7]
Blue Angel (sleep mode)	0.8 watts
Bottom margin (A4)	4 mm
Cable included	Yes, 1 USB for all regions
Compatible Network Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple® OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10) ; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html). Unix (For more information, see http://www.hp.com/go/unixmodelscripts)
Control panel	Button LED:4 light-emitting diode (LED) indicator lights (Wireless, Ready, Attention, toner); 3 buttons (Resume, Cancel, Wireless)
Count of cartons per pallet layer	9
Count of layers in pallet	NA: 5, EMEA/APJ: 4
Country of origin	Made in Vietnam, Made in Brazil (#696, #AC8, #697)
Downloadable software	From 123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From HP.com for Windows OS: Full-solution software and drivers (Same solution as "Software Included"); Basic-solution software and drivers (with installer). Product Documentation and Support; From HP.com for Mac OS: HP Easy Start (Guided Software Install). For Mobile OS: See "HP Mobile Printing" (http://www8.hp.com/us/en/ads/mobility/overview.html). From In-OS app stores: Gotham (HP AiO Remote for Win 8); HP recommended printer drivers and software; From HP.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Universal Print Drivers (PCL6, PS); HP ePrint Software (ePrint Mobile Driver for Windows); Linux/Unix Print Drivers; SAP (PS Print Drivers); HP Web JetAdmin Software (HP SNMP Proxy Agent); HP JetAdvantage Security Manager
Driver updates	Latest LAN information and drivers available from Support Web site; http://www.hp.com/support/ljM203

Electromagnetic compatibility	CISPR 22:2008 / EN 55022:2010 - Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2013, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012
Envelope Feeder	No
First page out black (A4, ready)	As fast as 6.7 sec
First page out black (A4, sleep)	As fast as 8.0 sec
First page out black (letter, ready)	As fast as 6.4 sec
First page out black (letter, sleep)	As fast as 7.9 sec
Fonts and typefaces	84 scalable TrueType fonts
HP ePrint capability	Yes
Input capacity	Up to 260 sheets
Left margin (A4)	4 mm
Mac compatible	Yes
Maximum Memory	256 MB
Maximum dimensions (W x D x H)	370.5 x 624.4 x 359.5 mm
Maximum dimensions (W x D x H)	14.6 x 24.6 x 14.2 in
Maximum input capacity (sheets)	Up to 260 sheets
Maximum output capacity (sheets)	Up to 150 sheets
Media size, tray 1	A4; A5; A6; B5 (JIS); envelopes; letter; legal; executive; 76 x 127 to 216 x 356 mm
Media size, tray 2	A4; A5; A6; B5 (JIS); envelopes; letter; legal; executive; 76 x 127 to 216 x 356 mm
Media sizes supported	Letter; legal; executive; 8.5 x 13 in; envelopes
Media sizes supported	A4; A5; B5 (JIS); A6
Media sizes supported, key	A4; Envelopes
Media sizes supported, key	Letter; Legal; Envelopes
Media sizes, custom	3 x 5 to 8.5 x 14 in
Media sizes, custom	76 x 127 to 216 x 356 mm
Media type and capacity, tray 1	Sheets: 10; Envelopes: 10
Media type and capacity, tray 2	Up to 250 sheets
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards
Media weight (tray 1)	60 to 163 g/m ²
Media weight (tray 2)	60 to 163 g/m ²
Media weight, supported	16 to 43 lb
Media weight, supported	60 to 163 g/m ²
Memory	256 MB

Minimum System Requirements	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Minimum System Requirements for Macintosh	Apple® OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10) ; 1 GB HD; Internet required; USB
Network ready	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 Black
Number of users	1-5 Users
Operating humidity range	10 to 80% RH
Operating temperature range	59 to 90.5°F
Operating temperature range	15 to 32.5°C
Orderable product number	G3Q47A#AB0, G3Q47A#AB2, G3Q47A#ACJ, G3Q47A#BBU, G3Q47A#BGM, G3Q47A#B19, G3Q47A#ABT, G3Q47A#ABY, G3Q47A#ACQ, G3Q47A#BAZ, G3Q47A#AC8, G3Q47A#697, G3Q47A#BGJ
Output capacity	Up to 150 sheets
Package dimensions (W x D x H)	17.24 x 10.94 x 18.34 in
Package dimensions (W x D x H)	438 x 278 x 466 mm
Package weight	9.2 kg
Package weight	20.2 lb
Pallet dimensions	NA: 47.24 x 39.37 x 97.63 in, EMEA/APJ: 47.24 x 39.37 x 79.29 in
Pallet dimensions (W x D x H)	NA: 1200 x 1000 x 2480 mm, EMEA/APJ: 1200 x 1000 x 2014 mm
Pallet weight	NA: 436.7 kg, EMEA/APJ: 353.9 kg
Pallet weight	NA: 960.7 lb, EMEA/APJ: 778.5 lb
Paper handling input, standard	250-sheet input tray, 10-sheet priority tray
Paper handling output, standard	150-sheet output tray
Paper trays, maximum	1 Main tray and plus 10 sheet priority tray
Paper trays, standard	1 Main tray and plus 10 sheet priority tray
Photo (product photo, jpg, 190x170)	Printers and Multifunction/G3Q46A_190x170.jpg
Photo (product photo, jpg, 70x100)	Printers and Multifunction/G3Q46A_70x100.jpg
Ports	1 Hi-Speed USB 2.0; 1 Ethernet 10/100 network
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 5.4 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.1 A
Print Technology	Laser
Print colors	No

Print languages	PCL5c; PCL6; PS; PCLm; PDF; URF; PWG
Print quality black (normal)	Up to 600 x 600 dpi, HP FastRes 1200 (1200 dpi quality)
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 49 ppm
Print speed black (Portrait, A5)	Up to 6 ppm
Print speed duplex (A4)	Up to 18 ipm
Print speed duplex (letter)	Up to 18 ipm
Print speed footnote number (A5)	[11]
Print technology	Laser
Printer Management	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager
Processor speed	800 MHz
Product logos	Energy Star; Mopria; USB; Wi-Fi certified
Product long name specifications	HP LaserJet Pro M203dw
Quantity per pallet	NA: 45, EMEA/APJ: 36
RMN number	SHNGC-1502-01
Recommended media weight (duplex)	16 to 28 lb
Recommended media weight (duplex)	60 to 105 g/m ²
Recommended monthly page volume	250 to 2500 ^[14]
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	17.5 to 25°C
Recommended operating temperature range	63.5 to 77°F
Replacement product number	CF456A; C6N21A
Right margin (A4)	4 mm
Safety	IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 60825-1:2007 / EN 60825-1:2007 (Class 1 Laser/LED Product); IEC 62479:2010 / EN 62479:2010; GB4943-2011
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change
Standard input capacity (envelopes)	Up to 10
Standard media sizes (duplex)	A4
Standard media sizes (duplex, imperial)	Letter; legal

Standard output capacity (envelopes)	Up to 10
Storage device and direct print support	USB printing; Wi-Fi Direct
Storage temperature range	-20 to 60°C
Storage temperature range	-4 to 140°F
Sub-brand name	LaserJet Pro
SureSupply supported	Yes
Target user and print volume	For teams up to 5 users; Prints up to 2,500 pages/month
Tariff numbers	8443321010
Technical support information	http://www.hp.com/support
Top key features	Two-sided printing
Top margin (A4)	4 mm
Typical electricity consumption (TEC) number	0.826 kWh/Week (Blue Angel); 0.318 kWh/Week (Energy Star 3.0) ^[6]
UNSPSC code	43212105
UPC number	(696) 889894212795; (697) 889894212801; (AB0) 889894212696; (AB2) 889894212702; (ABT) 889894212740; (ABY) 889894212757; (AC8) 889894212818; (ACJ) 889894212719; (ACQ) 889894212764; (B19) 889894212771; (BAZ) 889894212788; (BBU) 889894212726; (BGJ) 889894212825; (BGM) 889894212733
Web address for additional information	http://www.hp.com/support/ljM203

[2] HP Introductory Black LaserJet Toner Cartridge (~1000 pages), HP Original LaserJet Imaging Drum (~23,000 pages). Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

[4] With print cartridges

[5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[6] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

[7] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

[8] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

[13] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[14] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[16] Not supporting WindowsXP (64-bit) and Windows Vista(64-bit), Not all "Compatible Operating Systems" are supported with INBOX software, Full solution software available only for Windows 7 and newer, Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print drivers only; For Windows Server 2003 32-bit and 2008 32-bit and 64-bit, 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit only print driver is installed; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software

[17] U.S. Canada, Taiwan: Input voltage: 110-127Vac, 50/60Hz; Europe: Input voltage: 220-240Vac, 50/60Hz (Not dual voltage, power supply varies by part number with #option code identifier)

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 30A Black Original LaserJet Toner Cartridge	CF230A
HP 30X High Yield Black Original LaserJet Toner Cartridge	CF230X
HP 30X High Yield Black Original LaserJet Toner Cartridge	CF230XK
HP 32A Original LaserJet Imaging Drum	CF232A

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Paper-5 reams/Letter/8.5 x 11 in	HPT115
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Everyday Copy and Print Paper-10 reams/Letter/8.5 x 11 in	HPA510
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Legal/8.5 x 14 in	HPC8514
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-5 reams/Letter/8.5 x 11 in	HPC115R
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Minority Business Enterprise Paper

HP Business Copy Paper-10 reams/Letter/8.5 x 11 in	HPBC11
--	--------

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-10 reams/Legal/8.5 x 14 in	HPM1420
HP Multipurpose Paper-10 reams/Letter/8.5 x 11 in	HPM1120
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R

HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

HP Paper Designed for Laser Printers

HP Laser Photo Paper

HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm	Q8843A
--	--------

HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm	7MV81A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm	7MV82A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A
HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124
HP LaserJet Paper-5 reams/Letter/8.5 x 11 in	HPJ115R
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310
HP LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPJ1124P
HP Premium Choice Laser Paper-250 sht/A4/210 x 297 mm	Q2397A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
HP Premium Choice LaserJet Paper-6 reams/Letter/8.5 x 11 in	HPU1132

HP Laser Brochure Paper

HP Enhanced Laser Glossy FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6611A
---	--------

HP Enhanced Laser Glossy Tri-fold FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6612A
--	--------

HP Enhanced Laser Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6543A
--	--------

HP High-gloss Laser Paper-200 sht/A4/210 x 297 mm	Q2421A
---	--------

HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A
---	--------

HP Laser Cover and Card Stock

HP Premium Cover Paper-100 sht/A4/210 x 297 mm	Q2414A
--	--------

HP Professional Laser Paper

HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A
--	--------

HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
--	--------

HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV83A
--	--------

HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
---	--------

HP Professional Laser Matte FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV80A
---	--------

HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN05A
--	--------

Solutions

JetAdvantage Printing Solutions

★ : Recommended

JetAdvantage Print Management

HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN

JetAdvantage Mobile Printing

HP PrinterOn Enterprise	PRINTERONENT
ePRINTit	HP3PEPRINTIT

Disclaimer — Copyright

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 17, 2021 9:00 PM UTC+0000